



PATENT

Case Docket No. ANWAL.004AUS

Date: July 23, 2004

Page 1

In re application of: Martin Hecht

App. No. : 09/355,117

Filed : October 15, 1999

For : OPTICAL WAVE-GUIDE CABLE NETWORK


Examiner : Khiem M. Nguyen

Art Unit : 2839

I hereby certify that this correspondence and all marked attachments are being deposited with the United States Postal Service as first class mail in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on

July 23, 2004

(Date)


Yasuo Muramatsu, Reg. No. 38,684

ASSISTANT COMMISSIONER FOR PATENTS
ALEXANDRIA, VA 22313-1450

Sir:

Transmitted herewith is a response to office action in the above-identified utility application.


() An extension of time to respond for * month(s) is hereby requested.

Time Extension Fee:

- () one month (\$55 small entity)
- () two months (\$210 small entity)
- () three months (\$475 small entity)

Enclosed are:

- (X) Amendment in nine (9) pages.
- (X) Request for approval of drawing changes in two mark-up sheets and two replacement sheets.
- (X) Substitute specification and mark-up version of specification showing changes made.
- (X) Return prepaid postcard.


Yasuo Muramatsu
Registration No. 38,684
Attorney of Record
MURAMATSU & ASSOCIATES
(949) 753-1127



GP 2839
IFW

ANWAL.004APC

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant	:	Martin Hecht)	Group Art Unit 2839
)	
Serial No.	:	09/355,117)	
)	
Filed	:	October 15, 1999)	
)	
For	:	OPTICAL WAVE-GUIDE)	
		CABLE NETWORK)	
)	
Examiner	:	Khien M. Nguyen)	

AMENDMENT

Hon. Commissioner of
Patents and Trademarks
Alexandria, VA 22313-1450

Dear Sir:

This amendment is submitted for the above-identified patent application in response to the office action mailed April 23, 2004. Please make the following changes:

Serial No. : 09/355,117
Filed : October 15, 1999

IN THE DRAWINGS:

The applicant has submitted concurrently herewith a request for approval of drawing changes in which German words in Figures 2 and 3 have been changed to English words. Replacement sheets of Figures 2 and 3 are also submitted.